


## SECTION 4

# Pipe Supports

Light, medium & heavy duty pipe supports

- Slide Guides
- Munzing Rings
- Ferroles & Cushioning

Pipe Supports



## 100 SERIES SHANKLESS CLIP


**EC100  
ES100  
EA100  
EP100  
EH100**



| NOM.<br>SIZE | PART NUMBERS |           |           |           |              |
|--------------|--------------|-----------|-----------|-----------|--------------|
|              | COPPER       | STEEL     | CAST IRON | P.V.C.    | PRESS P.V.C. |
| 15           | EC100-015    | ES100-021 |           |           | EH100-021    |
| 20           | EC100-020    | ES100-027 |           |           | EH100-027    |
| 25           | EC100-025    | ES100-034 |           |           | EH100-034    |
| 32           | EC100-032    | ES100-043 |           | EP100-038 | EH100-043    |
| 40           | EC100-038    | ES100-048 |           | EP100-040 | EH100-048    |
| 50           | EC100-051    | ES100-060 | EA100-060 | EP100-060 | EH100-060    |
| 65           | EC100-064    | ES100-076 | EA100-076 | EP100-076 | EH100-076    |
| 80           | EC100-076    | ES100-089 | EA100-089 | EP100-083 | EH100-089    |
| 100          | EC100-102    | ES100-115 | EA100-115 | EP100-115 | EH100-115    |
| 125          | EC100-127    | ES100-140 | EA100-140 | EP100-140 | EH100-140    |
| 150          | EC100-152    | ES100-165 | EA100-165 | EP100-165 | EH100-165    |

|         |               |                |                |               |               |
|---------|---------------|----------------|----------------|---------------|---------------|
| FINISH: | POLY<br>BROWN | ZINC<br>PLATED | ZINC<br>PLATED | POLY<br>WHITE | POLY<br>WHITE |
|---------|---------------|----------------|----------------|---------------|---------------|

---

**200 SERIES NUT CLIP****EC200**  
**ES200**  
**EA200**  
**EP200**  
**EH200**


| NOM.<br>SIZE | PART NUMBERS |           |           |           |              |
|--------------|--------------|-----------|-----------|-----------|--------------|
|              | COPPER       | STEEL     | CAST IRON | P.V.C.    | PRESS P.V.C. |
| 15           | EC200-015    | ES200-021 |           |           | EH200-021    |
| 20           | EC200-020    | ES200-027 |           |           | EH200-027    |
| 25           | EC200-025    | ES200-034 |           |           | EH200-034    |
| 32           | EC200-032    | ES200-043 |           | EP200-038 | EH200-043    |
| 40           | EC200-038    | ES200-048 |           | EP200-043 | EH200-048    |
| 50           | EC200-051    | ES200-060 | EA200-060 | EP200-060 | EH200-060    |
| 65           | EC200-064    | ES200-076 | EA200-076 | EP200-076 | EH200-076    |
| 80           | EC200-076    | ES200-089 | EA200-089 | EP200-083 | EH200-089    |
| 100          | EC200-102    | ES200-115 | EA200-115 | EP200-115 | EH200-115    |
| 125          | EC200-127    | ES200-140 | EA200-140 | EP200-140 | EH200-140    |
| 150          | EC200-152    | ES200-165 | EA200-165 | EP200-165 | EH200-165    |

|         |               |                |                |               |               |
|---------|---------------|----------------|----------------|---------------|---------------|
| FINISH: | POLY<br>BROWN | ZINC<br>PLATED | ZINC<br>PLATED | POLY<br>WHITE | POLY<br>WHITE |
|---------|---------------|----------------|----------------|---------------|---------------|

## 300 SERIES SHANK CLIP


**EC300  
ES300  
EA300  
EP300  
EH300**



ORDER EXAMPLE: EC300-51B DENOTES 50cu + 225mm SHANK

| NOM.<br>SIZE | PART NUMBERS |           |           |           |              |
|--------------|--------------|-----------|-----------|-----------|--------------|
|              | COPPER       | STEEL     | CAST IRON | P.V.C.    | PRESS P.V.C. |
| 15           | EC300-015    | ES300-021 |           |           | EH300-021    |
| 20           | EC300-020    | ES300-027 |           |           | EH300-027    |
| 25           | EC300-025    | ES300-034 |           |           | EH300-034    |
| 32           | EC300-032    | ES300-043 |           | EP300-038 | EH300-043    |
| 40           | EC300-038    | ES300-048 |           | EP300-043 | EH300-048    |
| 50           | EC300-051    | ES300-060 | EA300-060 | EP300-060 | EH300-060    |
| 65           | EC300-064    | ES300-076 | EA300-076 | EP300-076 | EH300-076    |
| 80           | EC300-076    | ES300-089 | EA300-089 | EP300-083 | EH300-089    |
| 100          | EC300-102    | ES300-115 | EA300-115 | EP300-115 | EH300-115    |
| 125          | EC300-127    | ES300-140 | EA300-140 | EP300-140 | EH300-140    |
| 150          | EC300-152    | ES300-165 | EA300-165 | EP300-165 | EH300-165    |

|         |               |                |                |               |               |
|---------|---------------|----------------|----------------|---------------|---------------|
| FINISH: | POLY<br>BROWN | ZINC<br>PLATED | ZINC<br>PLATED | POLY<br>WHITE | POLY<br>WHITE |
|---------|---------------|----------------|----------------|---------------|---------------|



| PART NO.  | PIPE SIZE RANGE 'D' |
|-----------|---------------------|
| MR12-14   | 12mm - 14mm         |
| MR21-23   | 21mm - 23mm         |
| MR26-28   | 25mm - 28mm         |
| MR32-35   | 32mm - 35mm         |
| MR40-43   | 38mm - 43mm         |
| MR44-49   | 44mm - 48mm         |
| MR50-56   | 51mm - 56mm         |
| MR57-62   | 57mm - 62mm         |
| MR63-67   | 63mm - 67mm         |
| MR74-80   | 74mm - 80mm         |
| MR83-91   | 83mm - 91mm         |
| MR101-106 | 102mm - 106mm       |
| MR108-114 | 108mm - 114m        |
| MR125     | 125mm               |
| MR131-135 | 131mm-135mm         |
| MR136-139 | 136mm-139mm         |
| MR140-144 | 140mm-144mm         |
| MR159-163 | 159mm-163mm         |
| MR165-169 | 165mm-169mm         |

## TECHNICAL DATA


### RUBBER QUALITY:

EPDM (without polymer mix)  
Shore hardness 45 5 ShoreA (DIN 53505)  
Compression set 30% (DIN 53517)  
Shore hardness change after aging 10 (DIN 53508)  
Resistance ozone cracking (DIN 53509)  
Temperature range -50C to +110C (DIN 53513)  
Flame test B2, (DIN 4102)

**FINISH: ZINC PLATED**

## **STANDARD SADDLE CLAMP FOR STEEL PIPE**

**FM4**




| PART NO. | PIPE DIA. | D   | A   | B   | H  | MATERIAL |
|----------|-----------|-----|-----|-----|----|----------|
| FM04-021 | 15nb      | 21  | 85  | 61  | 9  | 25 x 3   |
| FM04-027 | 20nb      | 27  | 91  | 67  | 9  | 25 x 3   |
| FM04-034 | 25nb      | 34  | 98  | 74  | 9  | 25 x 3   |
| FM04-043 | 32nb      | 43  | 107 | 83  | 9  | 25 x 3   |
| FM04-048 | 40nb      | 48  | 112 | 88  | 9  | 25 x 3   |
| FM04-060 | 50nb      | 60  | 124 | 100 | 9  | 25 x 3   |
| FM04-076 | 65nb      | 76  | 140 | 116 | 9  | 25 x 3   |
| FM04-089 | 80nb      | 89  | 153 | 129 | 9  | 25 x 3   |
| FM04-115 | 100nb     | 115 | 178 | 154 | 9  | 25 x 3   |
| FM04-140 | 125nb     | 140 | 204 | 180 | 9  | 25 x 3   |
| FM04-168 | 150nb     | 168 | 280 | 240 | 14 | 25 x 3   |

Pipe Supports

**FINISH: GALVANISED & PLAIN**

**STANDARD SIZES ONLY: OTHER SIZES AVAILABLE ON REQUEST**


**FM6****LIGHT DUTY DOUBLE BOLTED CLAMP**

| PART NO. | PIPE DIA. | D    | BOLT  | MATERIAL |
|----------|-----------|------|-------|----------|
| FM6-015  | 15cu      | 12.7 | M6x25 | 25 x 3   |
| FM6-020  | 20cu      | 19   | M6x25 | 25 x 3   |
| FM6-021  | 15nb      | 21   | M6x25 | 25 x 3   |
| FM6-025  | 25cu      | 25   | M6x25 | 25 x 3   |
| FM6-027  | 20nb      | 27   | M6x25 | 25 x 3   |
| FM6-032  | 32cu      | 32   | M6x25 | 25 x 3   |
| FM6-034  | 25nb      | 34   | M6x25 | 25 x 3   |
| FM6-038  | 40cu      | 38   | M6x25 | 25 x 3   |
| FM6-043  | 32nb      | 43   | M6x25 | 25 x 3   |
| FM6-048  | 40nb      | 48   | M6x25 | 25 x 3   |
| FM6-051  | 50cu      | 51   | M6x25 | 25 x 3   |
| FM6-060  | 50nb      | 60   | M6x25 | 25 x 3   |
| FM6-064  | 65cu      | 64   | M6x25 | 25 x 3   |
| FM6-073  | 65nb      | 73   | M6x25 | 25 x 3   |
| FM6-076  | 80cu      | 76   | M6x25 | 25 x 3   |
| FM6-083  | 83ns      | 83   | M6x25 | 25 x 3   |
| FM6-089  | 80nb      | 89   | M6x25 | 25 x 3   |
| FM6-102  | 102cu     | 102  | M6x25 | 25 x 3   |
| FM6-115  | 100nb     | 115  | M6x25 | 25 x 3   |
| FM6-127  | 125cu     | 122  | M8x30 | 25 x 3   |
| FM6-140  | 125nb     | 140  | M8x30 | 25 x 3   |
| FM6-152  | 150cu     | 152  | M8x30 | 25 x 3   |
| FM6-168  | 150nb     | 168  | M8x30 | 25 x 3   |

**FINISH: GALVANISED****STANDARD FINISHES ONLY: OTHER FINISHES AVAILABLE ON REQUEST**

## LIGHT DUTY YOKE CLAMP


**FM8**



| PART NO. | PIPE DIA. | D   | BOLT  | MATERIAL |
|----------|-----------|-----|-------|----------|
| FM8-020  | 20cu      | 19  | M6x25 | 25 x 3   |
| FM8-021  | 15nb      | 21  | M6x25 | 25 x 3   |
| FM8-025  | 25cu      | 25  | M6x25 | 25 x 3   |
| FM8-027  | 20nb      | 27  | M6x25 | 25 x 3   |
| FM8-032  | 32cu      | 32  | M6x25 | 25 x 3   |
| FM8-034  | 25nb      | 34  | M6x25 | 25 x 3   |
| FM8-038  | 40cu      | 38  | M6x25 | 25 x 3   |
| FM8-043  | 32nb      | 43  | M6x25 | 25 x 3   |
| FM8-048  | 40nb      | 48  | M6x25 | 25 x 3   |
| FM8-051  | 50cu      | 51  | M6x25 | 25 x 3   |
| FM8-060  | 50nb      | 60  | M6x25 | 25 x 3   |
| FM8-064  | 65cu      | 64  | M6x25 | 25 x 3   |
| FM8-073  | 65nb      | 73  | M6x25 | 25 x 3   |
| FM8-076  | 80cu      | 76  | M6x25 | 25 x 3   |
| FM8-083  | 83ns      | 83  | M6x25 | 25 x 3   |
| FM8-089  | 80nb      | 89  | M6x25 | 25 x 3   |
| FM8-102  | 102cu     | 102 | M6x25 | 25 x 3   |
| FM8-115  | 115nb     | 115 | M6x25 | 25 x 3   |
| FM8-127  | 125cu     | 127 | M8x30 | 25 x 3   |
| FM8-140  | 125nb     | 140 | M8x30 | 25 x 3   |
| FM8-152  | 150cu     | 152 | M8x30 | 25 x 3   |
| FM8-168  | 150nb     | 168 | M8x30 | 25 x 3   |

**FINISH: GALVANISED**


**STANDARD FINISHES ONLY: OTHER FINISHES AVAILABLE ON REQUEST**



| PART NO. | PIPE DIA | A   | W   | L   | T   |
|----------|----------|-----|-----|-----|-----|
| FM14-21  | 15nb     | M10 | 21  | 65  | 50  |
| FM14-27  | 20nb     | M10 | 27  | 77  | 50  |
| FM14-34  | 25nb     | M10 | 34  | 85  | 50  |
| FM14-43  | 32nb     | M10 | 43  | 93  | 50  |
| FM14-48  | 40nb     | M10 | 48  | 100 | 50  |
| FM14-60  | 50nb     | M10 | 60  | 110 | 50  |
| FM14-76  | 65nb     | M12 | 76  | 127 | 50  |
| FM14-89  | 80nb     | M12 | 89  | 140 | 50  |
| FM14-115 | 100nb    | M12 | 115 | 165 | 50  |
| FM14-140 | 125nb    | M12 | 140 | 190 | 50  |
| FM14-168 | 150nb    | M12 | 168 | 220 | 50  |
| FM14-219 | 200nb    | M16 | 219 | 295 | 75  |
| FM14-273 | 250nb    | M20 | 273 | 370 | 100 |
| FM14-324 | 300nb    | M20 | 324 | 420 | 100 |
| FM14-356 | 350nb    | M20 | 356 | 455 | 100 |
| FM14-406 | 400nb    | M20 | 406 | 505 | 100 |
| FM14-457 | 450nb    | M24 | 457 | 555 | 100 |
| FM14-508 | 500nb    | M24 | 508 | 605 | 100 |
| FM14-610 | 600nb    | M24 | 610 | 710 | 100 |

**FINISH: GALVANISED**


**COMPLETE WITH TWO NUTS**



| PART NO. | PIPE DIA. | W   | L    | T   | MATERIAL |
|----------|-----------|-----|------|-----|----------|
| FM15-21  | 15nb      | 21  | 115  | 75  | 40 x 6   |
| FM15-25  | 25cu      | 25  | 119  | 79  | 40 x 6   |
| FM15-27  | 20nb      | 27  | 121  | 81  | 40 x 6   |
| FM15-32  | 32cu      | 32  | 126  | 86  | 40 x 6   |
| FM15-34  | 25nb      | 34  | 128  | 88  | 40 x 6   |
| FM15-38  | 40cu      | 38  | 132  | 92  | 40 x 6   |
| FM15-43  | 32nb      | 43  | 137  | 97  | 40 x 6   |
| FM15-48  | 40nb      | 48  | 1472 | 102 | 40 x 6   |
| FM15-51  | 50cu      | 51  | 145  | 105 | 40 x 6   |
| FM15-60  | 50nb      | 60  | 154  | 114 | 40 x 6   |
| FM15-64  | 65cu      | 64  | 158  | 118 | 40 x 6   |
| FM15-73  | 65nb      | 73  | 167  | 127 | 40 x 6   |
| FM15-76  | 80cu      | 76  | 170  | 130 | 40 x 6   |
| FM15-89  | 80nb      | 89  | 183  | 143 | 40 x 6   |
| FM15-102 | 102cu     | 102 | 196  | 156 | 40 x 6   |
| FM15-115 | 100nb     | 118 | 210  | 170 | 40 x 6   |
| FM15-127 | 127cu     | 127 | 223  | 183 | 40 x 6   |
| FM15-140 | 125nb     | 140 | 236  | 196 | 40 x 6   |
| FM15-152 | 152cu     | 152 | 248  | 208 | 40 x 6   |
| FM15-168 | 150nb     | 168 | 261  | 221 | 40 x 6   |
| FM15-203 | 200cu     | 203 | 299  | 259 | 40 x 6   |
| FM15-220 | 200nb     | 220 | 315  | 275 | 40 x 6   |

**FINISH: GALVANISED****STANDARD FINISHES ONLY: OTHER FINISHES AVAILABLE ON REQUEST**

---


**MEDIUM DUTY DOUBLE BOLTED CLAMP****FM16**

| PART NO. | PIPE DIA. | D   | BOLT   | MATERIAL |
|----------|-----------|-----|--------|----------|
| FM16-48  | 40nb      | 48  | M12x45 | 40x6     |
| FM16-51  | 50cu      | 51  | M12x45 | 40x6     |
| FM16-60  | 50nb      | 60  | M12x45 | 40x6     |
| FM16-64  | 65cu      | 64  | M12x45 | 40x6     |
| FM16-73  | 65nb      | 73  | M12x45 | 40x6     |
| FM16-76  | 80cu      | 76  | M12x45 | 40x6     |
| FM16-83  | 83ns      | 83  | M12x45 | 40x6     |
| FM16-89  | 80nb      | 89  | M12x45 | 40x6     |
| FM16-102 | 100cu     | 102 | M12x45 | 40x6     |
| FM16-115 | 100nb     | 115 | M12x45 | 40x6     |
| FM16-127 | 125cu     | 127 | M12x45 | 40x6     |
| FM16-140 | 125nb     | 140 | M12x45 | 40x6     |
| FM16-152 | 152cu     | 152 | M12x45 | 40x6     |
| FM16-168 | 150nb     | 168 | M12x45 | 40x6     |
| FM16-175 | 175ns     | 175 | M12x45 | 40x6     |
| FM16-190 | 190ns     | 190 | M12x45 | 40x6     |
| FM16-203 | 200cu     | 203 | M12x45 | 40x6     |
| FM16-220 | 200nb     | 220 | M12x45 | 40x6     |
| FM16-228 | 228ns     | 228 | M12x45 | 40x6     |
| FM16-240 | 240ns     | 240 | M12x45 | 40x6     |
| FM16-252 | 250cu     | 252 | M12x45 | 40x6     |
| FM16-275 | 250nb     | 275 | M12x45 | 40x6     |
| FM16-304 | 300cu     | 304 | M12x45 | 40x6     |
| FM16-324 | 300nb     | 324 | M12x45 | 40x6     |

**FINISH: GALVANISED****STANDARD FINISHES ONLY: OTHER FINISHES AVAILABLE ON REQUEST**

## MEDIUM DUTY YOKE CLAMP

**FM18**




| PART NO. | PIPE DIA. | D   | HOLE DIA 'H' | BOLT   | MATERIAL |
|----------|-----------|-----|--------------|--------|----------|
| FM18-60  | 50nb      | 60  | 14           | M12x45 | 40x6     |
| FM18-64  | 64cu      | 64  | 14           | M12x45 | 40x6     |
| FM18-73  | 65nb      | 73  | 14           | M12x45 | 40x6     |
| FM18-76  | 80cu      | 76  | 14           | M12x45 | 40x6     |
| FM18-83  | 83ns      | 83  | 14           | M12x45 | 40x6     |
| FM18-89  | 80nb      | 89  | 14           | M12x45 | 40x6     |
| FM18-102 | 100cu     | 102 | 14           | M12x45 | 40x6     |
| FM18-115 | 100nb     | 115 | 14           | M12x45 | 40x6     |
| FM18-127 | 125cu     | 127 | 14           | M12x45 | 40x6     |
| FM18-140 | 125nb     | 140 | 14           | M12x45 | 40x6     |
| FM18-152 | 152cu     | 152 | 14           | M12x45 | 40x6     |
| FM18-168 | 150nb     | 168 | 14           | M12x45 | 40x6     |
| FM18-175 | 175ns     | 175 | 14           | M12x45 | 40x6     |
| FM18-190 | 190ns     | 190 | 14           | M12x45 | 40x6     |
| FM18-203 | 200cu     | 203 | 14           | M12x45 | 40x6     |
| FM18-220 | 200nb     | 220 | 14           | M12x45 | 40x6     |
| FM18-228 | 228ns     | 228 | 14           | M12x45 | 40x6     |
| FM18-240 | 240ns     | 240 | 14           | M12x45 | 40x6     |
| FM18-252 | 250cu     | 252 | 14           | M12x45 | 40x6     |
| FM18-275 | 250nb     | 275 | 18           | M12x45 | 40x6     |

Pipe Supports

**FINISH: GALVANISED**

**STANDARD FINISHES ONLY: OTHER FINISHES AVAILABLE ON REQUEST**


**FM20****MEDIUM DUTY THREE-BOLT PIPE CLAMP**

**Standard Finish:** Hot Dipped Galvanised  
**Safety Factor:** 2.5

| Part No.  | Dimensions |     |     |     |         |           | Working Load | Mass kg |
|-----------|------------|-----|-----|-----|---------|-----------|--------------|---------|
|           | D          | L   | H   | S   | W x T   | K x L     |              |         |
| FM 20-21  | 21         | 159 | 71  | 48  | 25 x 5  | M10 x 30  | 5.02 kN      | 0.34    |
| FM 20-27  | 27         | 165 | 77  | 48  | 25 x 5  | M10 x 30  | 5.02 kN      | 0.36    |
| FM 20-34  | 34         | 176 | 88  | 48  | 40 x 6  | M12 x 40  | 7.24 kN      | 0.58    |
| FM 20-43  | 43         | 185 | 97  | 48  | 40 x 6  | M12 x 40  | 7.24 kN      | 0.62    |
| FM 20-48  | 48         | 190 | 102 | 48  | 40 x 6  | M12 x 40  | 7.24 kN      | 0.64    |
| FM 20-60  | 60         | 210 | 122 | 48  | 50 x 6  | M16 x 50  | 11.52 kN     | 1.57    |
| FM 20-76  | 76         | 226 | 138 | 48  | 50 x 6  | M16 x 50  | 11.52 kN     | 1.69    |
| FM 20-89  | 89         | 239 | 151 | 48  | 50 x 6  | M16 x 50  | 11.52 kN     | 1.79    |
| FM 20-114 | 114        | 339 | 200 | 75  | 75 x 10 | M20 x 60  | 20.10 kN     | 5.17    |
| FM 20-140 | 140        | 365 | 226 | 75  | 75 x 10 | M20 x 60  | 20.10 kN     | 5.65    |
| FM 20-165 | 165        | 390 | 251 | 75  | 75 x 10 | M20 x 60  | 20.10 kN     | 6.13    |
| FM 20-219 | 219        | 444 | 305 | 75  | 75 x 10 | M24 x 60  | 28.80 kN     | 7.83    |
| FM 20-273 | 273        | 498 | 359 | 75  | 75 x 10 | M24 x 60  | 28.80 kN     | 8.83    |
| FM 20-324 | 324        | 549 | 410 | 75  | 75 x 10 | M24 x 60  | 28.80 kN     | 9.77    |
| FM 20-356 | 356        | 628 | 464 | 100 | 75 x 16 | M30 x 80  | 45.18 kN     | 17.04   |
| FM 20-406 | 406        | 678 | 514 | 100 | 75 x 16 | M30 x 80  | 45.18 kN     | 18.50   |
| FM 20-457 | 457        | 763 | 587 | 100 | 75 x 20 | M36 x 100 | 45.18 kN     | 24.95   |
| FM 20-508 | 508        | 814 | 638 | 100 | 75 x 20 | M36 x 100 | 45.18 kN     | 26.83   |
| FM 20-610 | 610        | 916 | 740 | 100 | 75 x 20 | M36 x 100 | 45.18 kN     | 30.61   |

## HEAVY DUTY SADDLE CLAMP

**FM30**




**Standard Finish:** Hot Dipped Galvanised  
**Safety Factor:** 2.5

Pipe Supports


| Part No. | Dimensions |     |     |    |         | Working Load | Mass kg |
|----------|------------|-----|-----|----|---------|--------------|---------|
|          | W          | L   | T   | E  | W x T   |              |         |
| FM30-168 | 168        | 260 | 324 | 22 | 75 x 10 | 10.87 kN     | 3.22    |
| FM30-219 | 219        | 310 | 375 | 22 | 75 x 10 | 10.87 kN     | 4.21    |
| FM30-273 | 273        | 364 | 428 | 22 | 75 x 10 | 10.87 kN     | 4.81    |
| FM30-324 | 324        | 415 | 479 | 22 | 75 x 10 | 10.87 kN     | 5.80    |
| FM30-356 | 356        | 447 | 511 | 22 | 75 x 10 | 10.87 kN     | 6.10    |
| FM30-406 | 406        | 497 | 561 | 26 | 90 x 12 | 18.78 kN     | 9.90    |
| FM30-457 | 457        | 548 | 612 | 26 | 90 x 12 | 18.78 kN     | 11.00   |
| FM30-508 | 508        | 600 | 663 | 26 | 90 x 12 | 18.78 kN     | 12.12   |

Holes for 'K' dia.  
x 'L' long bolts, bolts  
and nuts included



**Standard Finish:** Hot Dipped Galvanised  
**Safety Factor:** 2.5

| Part No. | Dimensions |     |     |         |          | Working Load | Mass kg |
|----------|------------|-----|-----|---------|----------|--------------|---------|
|          | D          | L   | H   | W x T   | K x L    |              |         |
| FM31-168 | 168        | 318 | 254 | 75 x 10 | M20 x 60 | 20.10 kN     | 5.00    |
| FM31-219 | 219        | 369 | 305 | 75 x 10 | M20 x 60 | 20.10 kN     | 6.00    |
| FM31-273 | 273        | 423 | 359 | 75 x 10 | M20 x 60 | 20.10 kN     | 7.00    |
| FM31-324 | 324        | 474 | 410 | 75 x 10 | M20 x 60 | 20.10 kN     | 8.00    |
| FM31-356 | 356        | 512 | 448 | 75 x 12 | M24 x 75 | 28.93 kN     | 11.00   |
| FM31-406 | 406        | 562 | 498 | 75 x 12 | M24 x 75 | 28.93 kN     | 12.00   |
| FM31-457 | 457        | 629 | 565 | 75 x 16 | M30 x 90 | 45.18 kN     | 19.00   |
| FM31-508 | 508        | 680 | 616 | 75 x 16 | M30 x 90 | 45.18 kN     | 20.00   |
| FM31-610 | 610        | 782 | 718 | 75 x 16 | M30 x 90 | 45.18 kN     | 23.00   |




**Standard Finish:** Hot Dipped Galvanised  
**Safety Factor:** 2.5

| Part No.    | Dimensions |    |    |    |    |    |     |          | Working Load | Mass kg |
|-------------|------------|----|----|----|----|----|-----|----------|--------------|---------|
|             | T          | C  | D  | E  | F  | H  | S   | W&T      |              |         |
| FM35-12-M10 | 70         | 20 | 30 | 14 | 12 | 18 | M10 | 40 x 6   | 3.60 kN      | 0.13    |
| FM35-16-M12 | 80         | 25 | 30 | 18 | 16 | 20 | M12 | 75 x 10  | 5.80 kN      | 0.47    |
| FM35-20-M16 | 90         | 30 | 35 | 22 | 20 | 25 | M16 | 90 x 12  | 9.72 kN      | 0.76    |
| FM35-24-M20 | 90         | 30 | 35 | 26 | 24 | 31 | M20 | 90 x 12  | 14.48 kN     | 0.76    |
| FM35-30-M24 | 120        | 35 | 50 | 32 | 30 | 37 | M24 | 100 x 20 | 21.84 kN     | 1.88    |
| FM35-36-M30 | 140        | 40 | 60 | 38 | 36 | 47 | M30 | 130 x 20 | 32.56 kN     | 2.86    |
| FM35-42-M36 | 140        | 40 | 60 | 45 | 42 | 56 | M36 | 130 x 20 | 44.32 kN     | 2.86    |


**FM152**  
**FM153**

**HEAVY DUTY TWO-PIECE PIPE CLAMP**

| <b>FM152</b><br><b>SPHERICAL<br/>WASHER</b> |    |
|---|----|
| PART NO.                                    | R  |
| FM152-M10                                   | 11 |
| FM152-M12                                   | 14 |
| FM152-M16                                   | 18 |
| FM152-M20                                   | 22 |
| FM152-M24                                   | 26 |
| FM152-M30                                   | 32 |
| FM152-M36                                   | 38 |



**FINISH: GALVANISED  
OR PLAIN**




| <b>FM153 HANGER CLEVIS</b> |     |    |    |         |
|----------------------------|-----|----|----|---------|
| PART NO                    | C   | D1 | D2 | W x t   |
| FM153-M10 LD               | 70  | 11 | 11 | 25 x 3  |
| FM153-M10                  | 70  | 11 | 11 | 25 x 3  |
| FM153-M12                  | 75  | 14 | 14 | 40 x 6  |
| FM153-M16                  | 100 | 18 | 14 | 50 x 6  |
| FM153-M20                  | 112 | 22 | 22 | 75 x 10 |

**FINISH: GALVANISED**

## TWO PIECE CHANNEL CLIP

**FM132**



**FINISH: ZINC PLATED AND GALVABOND  
(OTHER FINISHES AVAILABLE ON REQUEST)**


**STANDARD SIZES ONLY:  
OTHER SIZES AVAILABLE ON REQUEST**

| PART NO.   | PIPE SIZE | MATERIAL |
|------------|-----------|----------|
| FM132-8    | 8cu       | 32x1.6   |
| FM132-10   | 10cu      | 32x1.6   |
| FM132-12.7 | 15cu      | 32x1.6   |
| FM132-17   | 17cu      | 32x1.6   |
| FM132-20   | 20cu      | 32x1.6   |
| FM132-21   | 15nb      | 32x1.6   |
| FM132-25   | 25cu      | 32x1.6   |
| FM132-27   | 20nb      | 32x1.6   |
| FM132-29   | 29ns      | 32x2.0   |
| FM132-32   | 32cu      | 32x2.0   |
| FM132-34   | 25nb      | 32x2.0   |
| FM132-38   | 40cu      | 32x2.0   |
| FM132-43   | 32nb      | 32x2.0   |
| FM132-48   | 40nb      | 32x2.0   |
| FM132-51   | 50cu      | 32x2.5   |
| FM132-54   | 54ns      | 32x2.5   |
| FM132-57   | 57ns      | 32x2.5   |
| FM132-60   | 50nb      | 32x2.5   |
| FM132-64   | 65cu      | 32x2.5   |
| FM132-67   | 67ns      | 32x2.5   |
| FM132-70   | 70ns      | 32x2.5   |
| FM132-73   | 65nb      | 32x2.5   |
| FM132-76   | 80cu      | 32x2.5   |
| FM132-79   | 79ns      | 32x2.5   |
| FM132-83   | 83ns      | 32x2.5   |
| FM132-86   | 86ns      | 32x2.5   |
| FM132-89   | 80nb      | 32x2.5   |
| FM132-92   | 92ns      | 32x2.5   |
| FM132-95   | 95ns      | 32x2.5   |
| FM132-98   | 98ns      | 32x2.5   |
| FM132-102  | 102cu     | 32x2.5   |
| FM132-105  | 105ns     | 32x2.5   |
| FM132-108  | 108ns     | 32x2.5   |
| FM132-110  | 110ns     | 32x2.5   |
| FM132-115  | 100nb     | 32x2.5   |
| FM132-117  | 117ns     | 32x2.5   |
| FM132-121  | 121ns     | 32x2.5   |
| FM132-127  | 125cu     | 32x2.5   |
| FM132-133  | 133ns     | 32x2.5   |
| FM132-140  | 125nb     | 32x2.5   |
| FM132-146  | 146ns     | 32x2.5   |
| FM132-152  | 152cu     | 32x2.5   |
| FM132-159  | 159ns     | 32x2.5   |
| FM132-165  | 150nb     | 32x2.5   |
| FM132-171  | 171ns     | 32x2.5   |
| FM132-178  | 178ns     | 32x2.5   |
| FM132-190  | 190ns     | 32x2.5   |
| FM132-203  | 200cu     | 32x2.5   |
| FM132-220  | 200nb     | 32x2.5   |
| FM132-228  | 228ns     | 32x2.5   |
| FM132-240  | 240ns     | 32x2.5   |
| FM132-252  | 252cu     | 32x2.5   |
| FM132-268  | 268ns     | 32x2.5   |
| FM132-275  | 250nb     | 32x2.5   |
| FM132-302  | 300cu     | 32x2.5   |
| FM132-324  | 300nb     | 32x2.5   |

---

**FM2600W**  
**FM2600B**

**FLEXICUSHION**  
**FLEXIBARRIER**



**FM2600W**  
**FLEXICUSHION**


- COLOUR: WHITE
- FLEXIBLE ELASTOMER MATERIAL
- SOUND AND VIBRATION ISOLATION
- SHOCK ABSORBTION
- ELECTROLYSIS BARRIER
- ABRASION PROTECTION
- OPERATING TEMP -45°C TO +175°C
- 7.6M DISPENSER PACK

**FM2600B**  
**FLEXIBARRIER**

- COLOUR: BLACK
- PVC MATERIAL
- ELECTROLYSIS BARRIER
- ABRASION PROTECTION
- ALLOWS CONTRACTION AND EXPANSION
- UP TO 30M ROLLS

## ONE PIECE CHANNEL CLIP

**FM138**  
**FM139**



**FM138**  
**ONE PIECE CHANNEL CLIP**  
**FOR STEEL PIPE**

| PART NO.  | PIPE SIZE |
|-----------|-----------|
| FM138-021 | 15nb      |
| FM138-027 | 20nb      |
| FM138-034 | 25nb      |
| FM138-043 | 32nb      |
| FM138-048 | 40nb      |
| FM138-060 | 50nb      |
| FM138-073 | 65nb      |
| FM138-089 | 80nb      |
| FM138-115 | 100nb     |
| FM138-140 | 125nb     |
| FM138-168 | 150nb     |

**FINISH: GALVABOND**

**NOTE: BOLT & CHANNEL NUT  
SUPPLIED SEPERATELY**

**FM139**  
**ONE PIECE CHANNEL CLIP**  
**FOR COPPER PIPE**


| PART NO.  | PIPE SIZE |
|-----------|-----------|
| FM139-015 | 15cu      |
| FM139-020 | 20cu      |
| FM139-025 | 25cu      |
| FM139-032 | 32cu      |
| FM139-038 | 40cu      |
| FM139-051 | 50cu      |
| FM139-064 | 65cu      |
| FM139-076 | 80cu      |
| FM139-102 | 100cu     |
| FM139-127 | 125cu     |
| FM139-152 | 150cu     |

**FINISH: POLYESTER  
POWDER COATED**

**NOTE: FM139 IS SUPPLIED  
WITH FM133A UNLESS  
REQUESTED OTHERWISE**

## **FM140**

## **LIGHT DUTY SLIDE GUIDE**




| <b>FM140</b>                                     |           |     |
|--|-----------|-----|
| <b>LIGHT DUTY SLIDE GUIDE<br/>FOR STEEL PIPE</b> |           |     |
| PART NO.   | PIPE SIZE | A   |
| FM140-021  | 15nb      | 54  |
| FM140-027  | 20nb      | 57  |
| FM140-034  | 25nb      | 60  |
| FM140-043  | 32nb      | 65  |
| FM140-048  | 40nb      | 67  |
| FM140-060  | 50nb      | 73  |
| FM140-073  | 65nb      | 81  |
| FM140-089  | 80nb      | 88  |
| FM140-115  | 100nb     | 101 |
| FM140-140  | 125nb     | 155 |
| FM140-168  | 150nb     | 129 |

**FINISH: GALVANISED**

| <b>FM140</b>                                      |           |     |
|---|-----------|-----|
| <b>LIGHT DUTY SLIDE GUIDE<br/>FOR COPPER PIPE</b> |           |     |
| PART NO.  | PIPE SIZE | A   |
| FM140-015   | 15cu      | 49  |
| FM140-020   | 20cu      | 53  |
| FM140-025   | 25cu      | 56  |
| FM140-032   | 32cu      | 59  |
| FM140-038   | 40cu      | 62  |
| FM140-051   | 50cu      | 73  |
| FM140-064   | 65cu      | 76  |
| FM140-076   | 80cu      | 81  |
| FM140-102   | 100cu     | 94  |
| FM140-127   | 125cu     | 108 |
| FM140-152   | 150cu     | 121 |

**FINISH: POLYESTER  
POWDER COATED**

**'A' DIMENSION IS A MINIMUM, CAN BE INCREASED TO SUIT INDIVIDUAL  
ON-SITE REQUIREMENTS**


**FM145**
**HEAVY DUTY SLIDE GUIDE FOR STEAM & CONDENSATE  
STEEL PIPE**


| PART NO.   | PIPE DIA. | INS. | SIZE      | A   |
|------------|-----------|------|-----------|-----|
| FM145-125A | 125nb     | 25   | 140 x 190 | 153 |
| FM145-125B |           | 38   | 140 x 220 | 168 |
| FM145-125C |           | 50   | 140 x 240 | 178 |
| FM145-150A | 150nb     | 25   | 168 x 220 | 168 |
| FM145-150B |           | 38   | 168 x 240 | 178 |
| FM145-150C |           | 50   | 168 x 268 | 192 |
| FM145-200A | 200nb     | 25   | 220 x 275 | 196 |
| FM145-200B |           | 38   | 220 x 300 | 208 |
| FM145-200C |           | 50   | 220 x 324 | 220 |
| FM145-250A | 250nb     | 25   | 273 x 324 | 220 |
| FM145-250B |           | 38   | 273 x 356 | 236 |
| FM145-250C |           | 50   | 273 x 375 | 246 |

| PART NO.   | PIPE DIA. | INS. | SIZE      | A   |
|------------|-----------|------|-----------|-----|
| FM145-300A | 300nb     | 25   | 324 x 375 | 268 |
| FM145-300B |           | 38   | 324 x 406 | 283 |
| FM145-300C |           | 50   | 324 x 424 | 292 |
| FM145-350A | 350nb     | 25   | 355 x 406 | 283 |
| FM145-350B |           | 38   | 355 x 424 | 292 |
| FM145-350C |           | 50   | 355 x 457 | 309 |
| FM145-400A | 400nb     | 25   | 406 x 457 | 309 |
| FM145-400B |           | 38   | 406 x 483 | 321 |
| FM145-400C |           | 50   | 406 x 508 | 334 |
| FM145-450A | 450nb     | 25   | 455 x 508 | 334 |
| FM145-450B |           | 38   | 455 x 533 | 347 |
| FM145-450C |           | 50   | 455 x 557 | 359 |

**FINISH: GALVANISED**
**'A' DIMENSION IS A MINIMUM, CAN BE INCREASED TO SUIT INDIVIDUAL  
ON-SITE REQUIREMENTS**


**HEAVY DUTY SLIDE GUIDE FOR STEAM & CONDENSATE  
COPPER PIPE** **FM145**



| PART NO.   | PIPE DIA. | INS. | SIZE      | A   |
|------------|-----------|------|-----------|-----|
| FM145-125D | 125cu     | 25   | 127 x 178 | 147 |
| FM145-125E |           | 38   | 127 x 203 | 160 |
| FM145-125F |           | 50   | 127 x 228 | 172 |
| FM145-150D | 150cu     | 25   | 152 x 203 | 160 |
| FM145-150E |           | 38   | 152 x 228 | 172 |
| FM145-150F |           | 50   | 152 x 252 | 184 |
| FM145-200D | 200cu     | 25   | 203 x 252 | 184 |
| FM145-200E |           | 38   | 203 x 275 | 196 |
| FM145-200F |           | 50   | 203 x 300 | 208 |
| FM145-250D | 250cu     | 25   | 254 x 300 | 208 |
| FM145-250E |           | 38   | 254 x 330 | 223 |
| FM145-250F |           | 50   | 254 x 355 | 236 |

**FINISH: POLYESTER POWDER COATED**

**'A' DIMENSION IS A MINIMUM, CAN BE INCREASED TO SUIT INDIVIDUAL  
ON-SITE REQUIREMENTS**



| <b>FM146<br/>LIGHT DUTY ROLLER<br/>GUIDE FOR STEEL PIPE</b> |           |     |
|---|-----------|-----|
| PART NO.  | PIPE SIZE | A   |
| FM146-021   | 15nb      | 89  |
| FM146-027   | 20nb      | 92  |
| FM146-034   | 25nb      | 95  |
| FM146-043   | 32nb      | 100 |
| FM146-048   | 40nb      | 102 |
| FM146-060   | 50nb      | 108 |
| FM146-073   | 65nb      | 116 |
| FM146-089   | 80nb      | 122 |
| FM146-115   | 100nb     | 137 |
| FM146-140   | 125nb     | 150 |
| FM146-168   | 150nb     | 164 |

**FINISH: GALVANISED**


| <b>FM146<br/>LIGHT DUTY ROLLER<br/>GUIDE FOR COPPER PIPE</b> |           |     |
|--|-----------|-----|
| PART NO.   | PIPE SIZE | A   |
| FM146-015  | 15cu      | 84  |
| FM146-020  | 20cu      | 88  |
| FM146-025  | 25cu      | 91  |
| FM146-032  | 32cu      | 94  |
| FM146-038  | 40cu      | 97  |
| FM146-051  | 50cu      | 104 |
| FM146-064  | 65cu      | 110 |
| FM146-076  | 80cu      | 116 |
| FM146-102  | 100cu     | 129 |
| FM146-127  | 125cu     | 144 |
| FM146-152  | 150cu     | 156 |

**FINISH: POLYESTER  
POWDER COATED**

**'A' DIMENSION IS A MINIMUM, CAN BE INCREASED  
TO SUIT INDIVIDUAL ON-SITE REQUIREMENTS**

## HEAVY DUTY ROLLER GUIDE

**FM148**



**FM148**

### HEAVY DUTY ROLLER GUIDE FOR STEEL PIPE

| PART NO.  | PIPE SIZE | A   |
|-----------|-----------|-----|
| FM148-168 | 150nb     | 185 |
| FM148-220 | 200nb     | 211 |
| FM148-273 | 250nb     | 238 |
| FM148-324 | 300nb     | 267 |
| FM148-355 | 350nb     | 283 |
| FM148-406 | 400nb     | 308 |
| FM148-506 | 500nb     | 360 |
| FM148-610 | 600nb     | 412 |

**FINISH: GALVANISED**

**FM148**

### HEAVY DUTY ROLLER GUIDE FOR COPPER PIPE


| PART NO.  | PIPE SIZE | A   |
|-----------|-----------|-----|
| FM148-152 | 150cu     | 177 |
| FM148-203 | 200cu     | 203 |
| FM148-254 | 250cu     | 228 |
| FM148-304 | 300cu     | 253 |

**FINISH: POLYESTER  
POWDER COATED**

**'A' DIMENSION IS A MINIMUM, CAN BE INCREASED  
TO SUIT INDIVIDUAL ON-SITE REQUIREMENTS**

# STANDARD CLEVIS PIPE HANGER

**FM160**



| PART NO.  | PIPE SIZE | D   | B   | ROD | BOLT      | M1      | M2      |
|-----------|-----------|-----|-----|-----|-----------|---------|---------|
| FM160-021 | 15nb      | 21  | 80  | 10  | M10 x 55  | 25 x 5  | 25 x 5  |
| FM160-025 | 25cu      | 25  | 80  | 10  | M10 x 60  | 25 x 5  | 25 x 5  |
| FM160-027 | 20nb      | 27  | 80  | 10  | M10 x 60  | 25 x 5  | 25 x 5  |
| FM160-032 | 32cu      | 32  | 85  | 10  | M10 x 70  | 25 x 5  | 25 x 5  |
| FM160-034 | 25nb      | 34  | 85  | 10  | M10 x 70  | 25 x 5  | 25 x 5  |
| FM160-038 | 40cu      | 38  | 98  | 10  | M10 x 70  | 25 x 5  | 25 x 5  |
| FM160-043 | 32nb      | 43  | 98  | 10  | M10 x 85  | 25 x 5  | 25 x 5  |
| FM160-048 | 40nb      | 48  | 98  | 10  | M10 x 85  | 25 x 5  | 25 x 5  |
| FM160-051 | 50cu      | 51  | 98  | 10  | M10 x 85  | 25 x 5  | 25 x 5  |
| FM160-060 | 50nb      | 60  | 100 | 10  | M10 x 95  | 25 x 5  | 25 x 5  |
| FM160-064 | 65cu      | 64  | 100 | 12  | M12 x 110 | 32 x 5  | 32 x 5  |
| FM160-076 | 65nb      | 76  | 120 | 12  | M12 x 110 | 32 x 5  | 32 x 5  |
| FM160-089 | 80nb      | 89  | 125 | 12  | M12 x 130 | 32 x 5  | 32 x 5  |
| FM160-102 | 100cu     | 102 | 135 | 12  | M12 x 150 | 32 x 5  | 32 x 5  |
| FM160-115 | 100nb     | 115 | 145 | 16  | M16 x 180 | 32 x 6  | 32 x 5  |
| FM160-127 | 125cu     | 127 | 150 | 16  | M16 x 180 | 32 x 6  | 32 x 5  |
| FM160-140 | 125nb     | 140 | 165 | 16  | M16 x 180 | 32 x 6  | 32 x 5  |
| FM160-152 | 150cu     | 152 | 190 | 16  | M16 x 190 | 40 x 6  | 40 x 5  |
| FM160-168 | 150nb     | 168 | 190 | 20  | M20 x 220 | 40 x 6  | 40 x 5  |
| FM160-204 | 200cu     | 204 | 215 | 20  | M20 x 240 | 40 x 8  | 40 x 6  |
| FM160-220 | 200nb     | 220 | 215 | 20  | M20 x 260 | 40 x 10 | 40 x 6  |
| FM160-250 | 250cu     | 250 | 245 | 24  | M20 x 300 | 50 x 8  | 50 x 6  |
| FM160-273 | 250nb     | 273 | 245 | 24  | M20 x 325 | 50 x 8  | 50 x 6  |
| FM160-324 | 300nb     | 324 | 275 | 24  | M20 x 375 | 50 x 10 | 50 x 6  |
| FM160-355 | 350nb     | 355 | 310 | 24  | M24 x 425 | 50 x 12 | 50 x 6  |
| FM160-406 | 400nb     | 406 | 350 | 24  | M24 x 475 | 65 x 12 | 65 x 6  |
| FM160-457 | 450nb     | 457 | 410 | 30  | M24 x 525 | 65 x 12 | 65 x 6  |
| FM160-508 | 500nb     | 508 | 430 | 30  | M24 x 600 | 75 x 16 | 75 x 10 |

Pipe Supports

**FINISH: GALVANISED OR POLYESTER POWDER COATED**


**FM193**  
**FM194**  
**FM195**

**PIPE ROLLERS**  
**PIPE SPIDER**

**FM193**  
**PIPE SPIDER**

**FINISH: PLAIN OR GALVANISED**


**SPECIFY I.D. x O.D. x LENGTH**



**FM194**  
**PIPE ROLLERS**

**ADJUSTABLE FOR PIPES 15nb TO 150nb**


**FINISH: ROLLERS - CAST IRON  
BRACKETS - Z.P.**



**FM195**  
**PIPE ROLLER ASSEMBLY**

| PART NO. | PIPE DIA.      |
|----------|----------------|
| FM195-1  | TO 125nb       |
| FM195-2  | 125nb TO 200nb |
| FM195-3  | 200nb TO 300nb |
| FM195-4  | 300nb TO 400nb |


**FINISH: ROLLERS - CAST IRON  
BRACKETS - Z.P.**



## PIPE ROLLERS

FM196


FM197



FM196  
PIPE ROLLERS


ADJUSTABLE FOR PIPES 150nb TO 450nb  
FINISH: ROLLERS - CAST IRON      BRACKETS - Z.P.

Pipe Supports



FM197  
PIPE ROLLERS

ADJUSTABLE FOR PIPES 400nb TO 600nb  
FINISH: ROLLERS - CAST IRON      BRACKETS - Z.P.


**FM189**
**FLOOR MOUNTED RISER GUIDE AND TIMBER FERRULE  
FOR STEEL PIPE**


| PART NO.   | PIPE DIA. | INS. | FERRULE DIA. | A   |
|------------|-----------|------|--------------|-----|
| FM189-015A | 15nb      | 25   | 21 x 73      | 80  |
| FM189-015B |           | 38   | 21 x 102     | 94  |
| FM189-015C |           | 50   | 21 x 127     | 109 |
| FM189-020A | 20nb      | 25   | 27 x 76      | 80  |
| FM189-020B |           | 38   | 27 x 102     | 94  |
| FM189-020C |           | 50   | 27 x 127     | 109 |
| FM189-025A | 25nb      | 25   | 34 x 83      | 85  |
| FM189-025B |           | 38   | 34 x 115     | 101 |
| FM189-025C |           | 50   | 34 x 140     | 115 |
| FM189-032A | 32nb      | 25   | 43 x 89      | 88  |
| FM189-032B |           | 38   | 43 x 115     | 101 |
| FM189-032C |           | 50   | 43 x 140     | 115 |
| FM189-040A | 40nb      | 25   | 48 x 102     | 94  |
| FM189-040B |           | 38   | 48 x 127     | 109 |
| FM189-040C |           | 50   | 48 x 152     | 121 |

| PART NO.   | PIPE DIA. | INS. | FERRULE DIA. | A   |
|------------|-----------|------|--------------|-----|
| FM189-050A | 50nb      | 25   | 60 x 115     | 101 |
| FM189-050B |           | 38   | 60 x 140     | 115 |
| FM189-050C |           | 50   | 60 x 165     | 128 |
| FM189-065A | 65nb      | 25   | 73 x 127     | 109 |
| FM189-065B |           | 38   | 73 x 152     | 121 |
| FM189-065C |           | 50   | 73 x 178     | 134 |
| FM189-080A | 80nb      | 25   | 89 x 140     | 115 |
| FM189-080B |           | 38   | 89 x 165     | 128 |
| FM189-080C |           | 50   | 89 x 190     | 140 |
| FM189-100A | 100nb     | 25   | 115 x 165    | 128 |
| FM189-100B |           | 38   | 115 x 190    | 140 |
| FM189-100C |           | 50   | 115 x 220    | 155 |

# FLOOR MOUNTED RISER GUIDE AND TIMBER FERRULE FOR COPPER PIPE

## FM189




| PART NO.   | PIPE DIA. | INS. | FERRULE DIA. | A   |
|------------|-----------|------|--------------|-----|
| FM189-015D | 15cu      | 25   | 13 x 65      | 76  |
| FM189-015E |           | 38   | 13 x 89      | 88  |
| FM189-015F |           | 50   | 13 x 115     | 101 |
| FM189-020D | 20cu      | 25   | 19 x 70      | 78  |
| FM189-020E |           | 38   | 19 x 102     | 94  |
| FM189-020F |           | 50   | 19 x 127     | 109 |
| FM189-025D | 25cu      | 25   | 25 x 76      | 80  |
| FM189-025E |           | 38   | 25 x 102     | 94  |
| FM189-025F |           | 50   | 25 x 127     | 109 |
| FM189-032D | 32cu      | 25   | 32 x 83      | 85  |
| FM189-032E |           | 38   | 32 x 115     | 101 |
| FM189-032F |           | 50   | 32 x 140     | 115 |
| FM189-040D | 40cu      | 25   | 38 x 89      | 88  |
| FM189-040E |           | 38   | 38 x 115     | 101 |
| FM189-040F |           | 50   | 38 x 140     | 115 |

| PART NO.   | PIPE DIA. | INS. | FERRULE DIA. | A   |
|------------|-----------|------|--------------|-----|
| FM189-050D | 50cu      | 25   | 51 x 102     | 94  |
| FM189-050E |           | 38   | 51 x 127     | 109 |
| FM189-050F |           | 50   | 51 x 152     | 121 |
| FM189-065D | 65cu      | 25   | 65 x 115     | 101 |
| FM189-065E |           | 38   | 65 x 140     | 115 |
| FM189-065F |           | 50   | 65 x 165     | 128 |
| FM189-080D | 80cu      | 25   | 76 x 127     | 109 |
| FM189-080E |           | 38   | 76 x 152     | 121 |
| FM189-080F |           | 50   | 76 x 178     | 134 |
| FM189-100D | 100cu     | 25   | 102 x 152    | 121 |
| FM189-100E |           | 38   | 102 x 178    | 134 |
| FM189-100F |           | 50   | 102 x 203    | 147 |

**NOTE:** PIPE SIZES UP TO 100CU ARE SHOWN AS ABOVE. FOR LARGER SIZES OR OTHER SPECIAL ON-SITE REQUIREMENTS, CONSULT YOUR NEAREST PIPE AND CABLE BRANCH.  
WHEN ORDERING, NOMINATE 'A' DIMENSION.

**FINISH:** GALVANISED

**FM190  
RISER GUIDE  
FOR STEEL PIPE**

| PART NO.  | PIPE SIZE | A   |
|-----------|-----------|-----|
| FM190-021 | 15nb      | 54  |
| FM190-027 | 20nb      | 57  |
| FM190-034 | 25nb      | 60  |
| FM190-043 | 32nb      | 65  |
| FM190-048 | 40nb      | 67  |
| FM190-060 | 50nb      | 73  |
| FM190-073 | 65nb      | 81  |
| FM190-089 | 80nb      | 88  |
| FM190-115 | 100nb     | 101 |
| FM190-140 | 125nb     | 155 |
| FM190-168 | 150nb     | 129 |

**FINISH: GALVANISED****FM190  
RISER GUIDE  
FOR COPPER PIPE**


| PART NO.  | PIPE SIZE | A   |
|-----------|-----------|-----|
| FM190-015 | 15cu      | 49  |
| FM190-020 | 20cu      | 53  |
| FM190-025 | 25cu      | 56  |
| FM190-032 | 32cu      | 59  |
| FM190-038 | 40cu      | 62  |
| FM190-051 | 50cu      | 73  |
| FM190-064 | 65cu      | 76  |
| FM190-076 | 80cu      | 81  |
| FM190-102 | 100cu     | 94  |
| FM190-127 | 125cu     | 108 |
| FM190-152 | 150cu     | 121 |

**FINISH: POLYESTER  
POWDER COATED**

**NOTE:** PIPE SIZES UP TO 150MM ARE SHOWN AS ABOVE. FOR LARGER SIZES OR OTHER SPECIAL ON-SITE REQUIREMENTS, CONSULT YOUR NEAREST PIPE AND CABLE BRANCH.  
WHEN ORDERING, NOMINATE 'A' DIMENSION.

## FLOOR MOUNTED ANCHOR

**FM191**



| <b>FM191</b><br><b>FLOOR MOUNTED ANCHOR</b><br><b>FOR STEEL PIPE</b> |           |     |
|--|-----------|-----|
| PART NO.   | PIPE SIZE | A   |
| FM191-021  | 15nb      | 54  |
| FM191-027  | 20nb      | 57  |
| FM191-034  | 25nb      | 60  |
| FM191-043  | 32nb      | 65  |
| FM191-048  | 40nb      | 67  |
| FM191-060  | 50nb      | 73  |
| FM191-073  | 65nb      | 81  |
| FM191-089  | 80nb      | 88  |
| FM191-115  | 100nb     | 101 |
| FM191-140  | 125nb     | 155 |
| FM191-168  | 150nb     | 129 |

**FINISH: GALVANISED**


| <b>FM191</b><br><b>FLOOR MOUNTED ANCHOR</b><br><b>FOR COPPER PIPE</b> |           |     |
|---|-----------|-----|
| PART NO.  | PIPE SIZE | A   |
| FM191-015   | 15cu      | 49  |
| FM191-020   | 20cu      | 53  |
| FM191-025   | 25cu      | 56  |
| FM191-032   | 32cu      | 59  |
| FM191-038   | 40cu      | 62  |
| FM191-051   | 50cu      | 73  |
| FM191-064   | 65cu      | 76  |
| FM191-076   | 80cu      | 81  |
| FM191-102   | 100cu     | 94  |
| FM191-127   | 125cu     | 108 |
| FM191-152   | 150cu     | 121 |

**FINISH: POLYESTER  
POWDER COATED**

**NOTE:** PIPE SIZES UP TO 150MM ARE SHOWN AS ABOVE. FOR LARGER SIZES OR OTHER SPECIAL ON-SITE REQUIREMENTS, CONSULT YOUR NEAREST PIPE AND CABLE BRANCH.  
WHEN ORDERING, NOMINATE 'A' DIMENSION.

# **FM191A**

## **WALL MOUNTED ANCHOR**



**FM191A  
WALL MOUNTED ANCHOR  
FOR STEEL PIPE**

| PART NO.   | PIPSIZE | A   |
|------------|---------|-----|
| FM191A-021 | 15nb    | 54  |
| FM191A-027 | 20nb    | 57  |
| FM191A-034 | 25nb    | 60  |
| FM191A-043 | 32nb    | 65  |
| FM191A-048 | 40nb    | 67  |
| FM191A-060 | 50nb    | 73  |
| FM191A-073 | 65nb    | 81  |
| FM191A-089 | 80nb    | 88  |
| FM191A-115 | 100nb   | 101 |
| FM191A-140 | 125nb   | 155 |
| FM191A-168 | 150nb   | 129 |

**FINISH: GALVANISED**

**FM191A  
WALL MOUNTED ANCHOR  
FOR COPPER PIPE**


| PART NO.   | PIPSIZE | A   |
|------------|---------|-----|
| FM191A-015 | 15cu    | 49  |
| FM191A-020 | 20cu    | 53  |
| FM191A-025 | 25cu    | 56  |
| FM191A-032 | 32cu    | 59  |
| FM191A-038 | 40cu    | 62  |
| FM191A-051 | 50cu    | 73  |
| FM191A-064 | 65cu    | 76  |
| FM191A-076 | 80cu    | 81  |
| FM191A-102 | 100cu   | 94  |
| FM191A-127 | 125cu   | 108 |
| FM191A-152 | 150cu   | 121 |

**FINISH: POLYESTER  
POWDER COATED**

**NOTE:** PIPE SIZES UP TO 150MM ARE SHOWN AS ABOVE. FOR LARGER SIZES OR OTHER SPECIAL ON-SITE REQUIREMENTS, CONSULT YOUR NEAREST PIPE AND CABLE BRANCH.  
WHEN ORDERING, NOMINATE 'A' DIMENSION.

**SPIDER CLAMP FOR STEAM & CONDENSATE  
STEEL PIPE**

**FM192**



| PART NO.   | PIPE DIA. | INS. | SIZE     |
|------------|-----------|------|----------|
| FM192-015A | 15nb      | 25   | 21 x 73  |
| FM192-015B |           | 38   | 21 x 102 |
| FM192-015C |           | 50   | 21 x 127 |
| FM192-020A | 20nb      | 25   | 27 x 76  |
| FM192-020B |           | 38   | 27 x 102 |
| FM192-020C |           | 50   | 27 x 127 |
| FM192-025A | 25nb      | 25   | 34 x 83  |
| FM192-025B |           | 38   | 34 x 115 |
| FM192-025C |           | 50   | 34 x 140 |
| FM192-032A | 32nb      | 25   | 43 x 89  |
| FM192-032B |           | 38   | 43 x 115 |
| FM192-032C |           | 50   | 43 x 140 |
| FM192-040A | 40nb      | 25   | 48 x 102 |
| FM192-040B |           | 38   | 48 x 127 |
| FM192-040C |           | 50   | 48 x 152 |
| FM192-050A | 50nb      | 25   | 60 x 115 |
| FM192-050B |           | 38   | 60 x 140 |
| FM192-050C |           | 50   | 60 x 168 |

| PART NO.   | PIPE DIA. | INS. | SIZE      |
|------------|-----------|------|-----------|
| FM192-065A | 65nb      | 25   | 73 x 127  |
| FM192-065B |           | 38   | 73 x 152  |
| FM192-065C |           | 50   | 73 x 178  |
| FM192-080A | 80nb      | 25   | 89 x 140  |
| FM192-080B |           | 38   | 89 x 165  |
| FM192-080C |           | 50   | 89 x 190  |
| FM192-100A | 100nb     | 25   | 115 x 165 |
| FM192-100B |           | 38   | 115 x 190 |
| FM192-100C |           | 50   | 115 x 220 |
| FM192-125A | 125nb     | 25   | 140 x 190 |
| FM192-125B |           | 38   | 140 x 220 |
| FM192-125C |           | 50   | 140 x 240 |
| FM192-150A | 150nb     | 25   | 168 x 220 |
| FM192-150B |           | 38   | 168 x 240 |
| FM192-150C |           | 50   | 168 x 268 |
| FM192-200A | 200nb     | 25   | 220 x 275 |
| FM192-200B |           | 38   | 220 x 300 |
| FM192-200C |           | 50   | 220 x 324 |

**FINISH: GALVANISED**